

Safety Data Sheet

PRODUCT: 5046 Arbour Lube

Section 01: Chemical Product and Company Identification

Supplier Michael Weinig, Inc.
124 Crosslake Park Drive
P.O. Box 3158
 Mooresville, NC 28117
(704) 799-0100 FAX: (704) 799-7400

Prepared By Steven M. Brown 503-659-1708

Preparation Date 03/15/2015

Revision Date 01/25/2016

Product Name 5046 Arbour Lube

Product Number 103780 (prior to 11/1/15: PTW.909715)

CAS Number Mixture

Chemical Formula Not Applicable/Mixture

Material Use Lubricant

24 Hour Emergency Number Infotrak (800) 535-5053

Section 02: Hazards Identification



Signal Word: **WARNING**

Hazards: H302 Harmful if swallowed.
Acute toxicity, Category 4
H320 Causes eye irritation.
Serious eye damage/eye irritation, Category 2B
H316 Causes mild skin irritation.
Skin corrosion/irritation, Category 3
H335 + H336 May cause respiratory irritation, drowsiness or dizziness.
Specific target organ toxicity-single exposure, Category 3

Prevention: P102 Keep out of reach of children.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash skin thoroughly after handling.

Response: P301 + P315 + P330 + P331 IF SWALLOWED: Get immediate medical advice/attention. Rinse mouth. DO NOT INDUCE vomiting.
P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342 + P313 If experiencing respiratory symptoms, get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
P501: Dispose of contents/container in accordance with local regulations.

Disposal:

Effects of Acute Exposure

Eye Contact Causes slight irritation.

Ingestion Ingestion may cause nausea, vomiting, diarrhea.

Safety Data Sheet

PRODUCT: 5046 Arbour Lube

Section 02: Hazards Identification

Inhalation Inhalation of oil vapors or mists could cause pulmonary irritation, dizziness and nausea.

Skin Contact May cause irritation upon prolonged or repeated contact.

Effects of Chronic Exposure None known.

Section 03: Composition and Information on Ingredients

Hazardous Ingredients

Ingred / %	Exposure Levels	C.A.S. #	TSCA	Hazard Rating	LD/LC, Route, Species
					LD/50:
					LC/50:

HMIS Rating (0-4)

HEALTH: 1, FIRE: 1, REACTIVITY: 0, PPI: B



Section 04: First Aid Measures

Skin Contact Flush skin with plenty of soap and water.

Inhalation Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician promptly.

Ingestion DO NOT induce vomiting. Call a physician promptly. Give large quantities of water. Never give anything by mouth to an unconscious or convulsing person.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, see a physician.

Section 05: Fire and Explosion Data

Flash Point > 300°F (148°C)

Flammability IIIB

Special Procedures Use self-contained breathing apparatus with full facepiece.

Fire Hazards Never use welding or cutting torch on or near drum or container, even empty, because product or residues can potentially ignite explosively.

Explosive Range: Not Available

Hazardous Combustion Products Not Available

Extinguishing Media Treat as an oil fire. Use dry chemical, chemical foam, or carbon dioxide.

Section 06: Accidental Release Measures

Safety Data Sheet

PRODUCT: 5046 Arbour Lube

Section 06: Accidental Release Measures

Leak/Spill **SMALL SPILL:** Use caution, spilled material may be slippery. Prevent spill from entering sanitary or storm water sewer systems. Use an inert or cellulosic oil-specific absorbent material to absorb spilled product.
LARGE SPILLS: Large spills, i.e., greater than 40 gallons. Use caution; spilled material is extremely slippery. Contain spilled material immediately and prevent spill from entering the sanitary or storm water sewer system. Use inert material to absorb spilled product.
NOTE! This product when spilled or released, behaves like an oil. Spills into or leading to surface waters that causes a sheen, may require reporting to state agencies and/or the National Response Center. Phone 800-424-8802

Section 07: Handling and Storage

Handling Containers of this material may be hazardous when emptied. Since emptied containers retain product residues, (vapor, liquid, and/or solid), all hazard precautions given in this data sheet should be observed.

Section 08: Exposure Control and Personal Protection

Protective Equipment

- Eye/Type** Wear approved splashproof chemical goggles.
- Respiratory/Type** Use an approved MSHA or NIOSH respirator for nuisance mists, dusts, or sprays.
- Gloves/Type** None normally required.

Ventilation Requirements Special ventilation procedures not normally required.

Occupational Exposure Limits No hazardous ingredients listed.

Section 09: Physical and Chemical Properties

Physical State	Liquid
Appearance	Amber
Viscosity (cPs, water=1)	Not Available
Volatility (vol%)	Not Available
Volatility (wt%)	Not Available
Specific Gravity	.886
pH	Not applicable
Solubility in Water	Not soluble
Odor	Mild
Odor threshold (ppm)	Not Available
Vapor Pressure (mm Hg)	Not Available
Vapor Density (air=1)	Non volatile
Evaporation Rate (n-butyl acetate=1)	Not Available
Coefficient of water/oil distribution	Not Available
Boiling Range	Not Available
Partition Coefficient	Not Available
Freezing Point	Not Available
Melting Point	Not Available

Safety Data Sheet

PRODUCT: 5046 Arbour Lube

Section 09: Physical and Chemical Properties

VOC	0%
Flash Point (TCC)	Not Available
Molecular Weight	Mixture
Explosive limits	Not Available
Flammability (solid, gas)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

Section 10: Stability and Reactivity Data

Hazardous Polymerization	Will not occur.
Chemical Stability	This product is stable.
Incompatibility	May react with strong oxidizing agents such as chlorates, nitrates, peroxides etc.
Conditions to Avoid	Acids and strong oxidizing agents.
Reactivity Conditions	Not Available
Hazardous Products of Decomposition (thermal)	Thermal decomposition or burning may produce carbon monoxide and/or carbon dioxide.

Section 11: Toxicological Information

Routes of Entry	Ingestion, eye, skin contact and inhalation of mists and/or sprays.
Exposure Limits	
LC/50	Not Available
TLV/TWA	Not Available
Carcinogenicity	This product does not contain any substance(s) listed as a carcinogen by NTP, IARC, or OSHA.
Teratogenicity/Mutagenicity	Not Available
Reproductive Effects	Not Available
Synergistic Materials	Not Available
Additional Toxicological Data	Not Available

Section 12: Ecological Information

Environmental	Not Available
Ectotoxicological Information	Aquatic toxicity data not available.
Biodegradability	Not Available

Section 13: Disposal Considerations

EPA Hazardous Waste Number	None
Waste Disposal	Product must be disposed of properly under Federal/State regulations for industrial waste. This product when spilled or disposed of is a non-hazardous waste as defined in 40 CFR Part 261 of the RCRA regulation. Solidified spills using an approved inert material might be disposed as a special industrial waste at a sanitary landfill pending local regulations or preferable incinerated.

Section 14: Transport Information

U.N. #	NONE
--------	------

Safety Data Sheet

PRODUCT: 5046 Arbour Lube

Section 14: Transport Information

T.D.G. Classification	NA
D.O.T. Classification	Not regulated by DOT.
WHMIS Classification	D2B

Section 15: Regulatory Information

EEC Classification	Irritant
U.S. Federal Regulations	This product as delivered is not regulated as a hazardous substance.

THIS PRODUCT COMPLIES WITH 21 CFR PART 176, SUBPART B, LISTED BELOW:

- 176.170 Components of paper and paperboard in contact with aqueous and fatty foods.
- 176.180 Components of paper and paperboard in contact with dry food.
- 176.200 Defoaming agents used in coatings.
- 176.210 Defoaming agents used in the manufacture of paper and paperboard.

US TSCA	All ingredients are listed in the TSCA inventory. This product does not contain nor is it manufactured with Alkylphenol Ethoxylates.
---------	---

Section 16: Other Information

Do not dilute or mix with other materials unless advised by supplier.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information provided.